

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SRA		0.5A 100VAC 1A 24VDC	25.2x8.1x 8.0
SYS		1A 125VAC 1A 30VDC 0.3A 60VDC	12.5x7.5x 10.0
SYS1		1A 120VAC 1A 24VDC 3A 120VAC 3A 24VDC	15.4x10.4x11.3
SYS1K		1A 120VAC 1A 24VDC 3A 120VAC 3A 24VDC	15.4x10.4x11.3
DSY2Y		0.3A 125VAC 0.3A 110VDC 1A 30VDC	20.0x10.0x11.6
SRB		5A 120VAC 3A 250VAC 3A 30VDC	20.3x7.0x 15.0
SJ		1a: 10A 250VAC 5A 250VAC 5A 28VDC 1c: 3A 250VAC 3A 28VDC	18.2x10.0x 14.7

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SRU		15A 120VAC 12A 120VAC 10A 240VAC 10A 28VDC	20.3x16.1x20.3
SPA		15A 125VAC 10A 250VAC 10A 24VDC	23.0x16.1x10.2
SMA		10A 250VAC 10A 30VDC TV-5 120VAC	23.5x10.4x24.8
SMC		5A 240VAC 5A 30VDC	24.4x12.9x24.8
ST		10A 250VAC 10A 30VDC	23.5x10.4x 24.8
DLS		5A 250VAC 5A 30VDC TV-5 TV-8	25.5x13.0x24.5

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SFK		30A 250VAC 30A 28VAC	15.7x30.0x23.3
SLA		1a:30A 240VAC 1c:20A 240VAC (N.O.) 10A 240VAC (N.C.)	32.2x27.3x20.2
SLC		1a:30A 240VAC 1c:20A 240VAC (N.O.) 10A 240VAC (N.C.)	32.1x26.9x28.0
SLI		1a:30A 240VAC 1c:20A 240VAC (N.O.) 10A 240VAC (N.C.)	32.1x26.9x20.0
SLC-K		1a:30A 240VAC 1c:20A 240VAC (N.O.) 10A 240VAC (N.C.)	32.2x27.4x 27.0
SFD		30A 250VAC 30A 28VAC 2HP 250VAC	32.2x50.0x26.1

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SARS		1A:25A 14VDC 1C:20A 14VDC	23.0x15.5x26.0
CAR		3A 12VDC 15A 24VDC	24.0x28.0x27.9
SART		30A 12VDC 15A 28VDC	28.0x25.0x29.4
SARL		40A 14VDC	30.0x30.0x25.0
SARC		80A 14VDC	30.0x30.0x 25.0


Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SJ-M(10A)		10A/40A 250VAC	18.2x10.0x14.7
SJE		NO: 10A 125VAC 5A 250VAC NC: 3A 250VAC	20.5x10.6x 15.3
SH		8A 125VAC 5A 250VAC 5A 30VDC	22.0x12.0x18.3
SRD		12A 125VAC 12A 28VDC 10A 125VAC 7A 250VAC	19.5x15.4x15.0
SRI		10A 120VAC 10A 24VDC 7A 250VAC	22.3x17.6x15.8
SRDH		10A 240VAC 10A 125VAC 10A 24VDC	22.0x16.0x16.4




Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
DJ		10A 250VAC 5A 250VAC 10A 30VDC 5A 30VDC	25.5x13.0x 24.5
SMI-2Pole		5A 240VAC 5A 120VAC 5A 24VDC	28.9x12.6x20.6
SZ		16A 240VAC 20A 120VAC 20A 24VDC	28.9x12.6x20.6
SMT		16A 240VAC	35.42x17.22x39.9
DI1U		20A 250VAC 23A 277VAC	26.5x30.5x16.5

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
<b>SME</b>		1c:15A 250VAC 15A 28VDC 2c:10A 240VAC 10A 28VDC	27.8x21.0x 35.0
<b>SMET</b>		2c:5A 250VAC 5A 28VDC 3c:5A 250VAC 5A 28VDC 4c:3A 250VAC 3A 28VDC	27.5x21.0x 35.0
<b>SFC</b>		1a:30A 277VAC 30A 30VDC 2a:25A 277VAC 25A 30VDC	68.5x34.5x 49.0
<b>SD</b>		7A 125VAC 5A 250VAC 10A 14VDC (resistive) 20A 14VDC (locked motor)	15.5x12.2x13.8
<b>SAR(W)</b>		15A 14VDC 10A 14VDC 10A 120VAC	17.2x14.5x19.7
<b>SARB</b>		30A 14VDC	26.0x21.0x20.5

Product List

Type	Appearances	Contact Capacity	External Dimension(mm)
SMAE		60A 250VAC 50A 250VAC	38.0x32.0x 18.0
SMAH		100A 250VAC 80A 250VAC	42.0x37.0x21.5
SMAT		100A 240VAC 80A 240VAC 40A 240VAC	66.7x48.5x24.0