


The PCB Terminal Blocks with 4 kinds of pitch: 5.0, 7.62, 9.5, 12.7mm, with 3 kinds of wire insertion directions: 90 degree, 135 degree, 180 degree, can be combined optionally to meet the customers' require.

Model	Pitch(mm)	Width	Pitch	Model	Pitch	Width	Pitch
PCB-10	5.0	10.0	90°	PCB-10-1	90°	10.0	90°
PCB-10-1	5.0	10.0	135°	PCB-10-2	90°	10.0	180°



040870

040870
 Part 1 (040870)
 Part 2 (040870)
 Part 3 (040870)
 Part 4 (040870)
 Part 5 (040870)
 Part 6 (040870)
 Part 7 (040870)
 Part 8 (040870)
 Part 9 (040870)
 Part 10 (040870)
 Part 11 (040870)
 Part 12 (040870)
 Part 13 (040870)
 Part 14 (040870)
 Part 15 (040870)
 Part 16 (040870)
 Part 17 (040870)
 Part 18 (040870)
 Part 19 (040870)
 Part 20 (040870)
 Part 21 (040870)
 Part 22 (040870)
 Part 23 (040870)
 Part 24 (040870)
 Part 25 (040870)
 Part 26 (040870)
 Part 27 (040870)
 Part 28 (040870)
 Part 29 (040870)
 Part 30 (040870)
 Part 31 (040870)
 Part 32 (040870)
 Part 33 (040870)
 Part 34 (040870)
 Part 35 (040870)
 Part 36 (040870)
 Part 37 (040870)
 Part 38 (040870)
 Part 39 (040870)
 Part 40 (040870)
 Part 41 (040870)
 Part 42 (040870)
 Part 43 (040870)
 Part 44 (040870)
 Part 45 (040870)
 Part 46 (040870)
 Part 47 (040870)
 Part 48 (040870)
 Part 49 (040870)
 Part 50 (040870)
 Part 51 (040870)
 Part 52 (040870)
 Part 53 (040870)
 Part 54 (040870)
 Part 55 (040870)
 Part 56 (040870)
 Part 57 (040870)
 Part 58 (040870)
 Part 59 (040870)
 Part 60 (040870)
 Part 61 (040870)
 Part 62 (040870)
 Part 63 (040870)
 Part 64 (040870)
 Part 65 (040870)
 Part 66 (040870)
 Part 67 (040870)
 Part 68 (040870)
 Part 69 (040870)
 Part 70 (040870)
 Part 71 (040870)
 Part 72 (040870)
 Part 73 (040870)
 Part 74 (040870)
 Part 75 (040870)
 Part 76 (040870)
 Part 77 (040870)
 Part 78 (040870)
 Part 79 (040870)
 Part 80 (040870)
 Part 81 (040870)
 Part 82 (040870)
 Part 83 (040870)
 Part 84 (040870)
 Part 85 (040870)
 Part 86 (040870)
 Part 87 (040870)
 Part 88 (040870)
 Part 89 (040870)
 Part 90 (040870)
 Part 91 (040870)
 Part 92 (040870)
 Part 93 (040870)
 Part 94 (040870)
 Part 95 (040870)
 Part 96 (040870)
 Part 97 (040870)
 Part 98 (040870)
 Part 99 (040870)
 Part 100 (040870)



DESCRIZIONE
 Pannello in PVC (1000x500x20mm)
 Pannello a pannello (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)
 Pannello in PVC (1000x500x20mm)

DESCRIZIONE





0-0-0-16

0-0-0-16

Three-pole circuit breaker
 Rated voltage (U_n) 240V AC
 Rated current (I_n) 16A
 Short-circuit breaking capacity (I_{cs}) 10kA @ 240V AC
 Type: Single-pole with independent degree of compensation (R_{cs})
 Breaker with Zero-Current Protection

Notes:
 For features refer to the Product Catalogue or visit our website at www.gesip.com



Model

Power Rating (W)
 Power Voltage (VAC)
 Power Current (mA)
 Wire Size (AWG)
 Wire Length (mm)
 Cable Range (mm)
 Connector (Type)
 Accessory (Type)

Color

Pin Number (Color)
 Mounting Hole (mm)
 Dimensions

00000

GGK 75

Pole 7 (max 200 V)

Rated voltage 250/300 V

Rated current 75/100 A

Wide base as standard format

Body weight 0.100 kg

Type: Single (200 V) complete degree

Compact design (60 mm)

Series 001 & 002 (200 V)

Compact design (200 V)

Pole 75/100 A (200 V)

GGK 75 (200 V) (max 200 V) (max 200 V)

GGK 75 (200 V) (max 200 V)

GGK 75

圖 4-1-2 規格



規格

產品尺寸 (mm) (mm) (mm)

重量 (g)

工作電壓 (V)

工作電流 (mA)

工作溫度 (°C)

工作濕度 (%)

工作高度 (m)

工作距離 (m)

工作時間 (h)

工作模式

工作環境

工作地點

工作時間



0202010



0202010

20A 250V (1P+N)

Break capacity 10kA/100kA

Break function 1P+N

Zero Sequence Residual Current

50mA/100mA/200mA

Calibration Voltage 230V/240V/250V

Temperature Rating

Standard/UL94 V-0

Mount

1P+N 25mm/30mm DIN Rail

Mounting holes 4x4mm/4

Accessories





Model

Model: 6000 (107)
 Panel: 1000x500 (1070)
 Panel: 1000x500 (1070)
 1000x500 (1070)
 1000x500 (1070)
 1000x500 (1070)
 1000x500 (1070)
 1000x500 (1070)

Color

1000x500 (1070)
 1000x500 (1070)
 1000x500 (1070)

